Number unemployed

----- POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH ------Per (Cancer incidence is for 1998) Activities Reported Number 10,000 Total 1999 Population Est 20,100 Percent Female 49.6 Primary Site Number Public Health Nursing Population per square mile 59
Rank in state 29 Total clients 75 342 Total visits 169 Breast 21 ( 1=highest population density, Cervical Visits: Reason for Colorectal 72=lowest population density.) 16 Gen hlth promotion Infant/child hlth 3 Trachea, Bronchus, Lung 11 1 Infectious & parasitic 41 Age Female Male Total Prostate 27 20 2,010 3,960 Circulatory 0-14 1,950 \_\_\_\_\_\_33 Other sites 0-14 1,950 2,010 15-19 810 870 20-24 610 690 25-29 540 590 30-34 580 630 35-39 790 810 40-44 760 870 45-54 1,300 1,410 55-64 890 950 65-74 780 680 75-84 680 480 Prenatal 1,680 Total 20 10 1,300 Postpartum 75 37 1,140 ----- LONG-TERM CARE -----1,210 WIC Participants 435 216 1,600 Community Options and MA Waiver 1,630 Clinic Visits 3,841 1,903 Programs Immunization 3,091 1,531 Blood pressure 694 344 2,700 # Clients Costs COP 1,830 112 \$228,883 1,150 CIP1A 6 \$349,901 430 CIP1B 36 \$582,194 20,100 CIP2 3 \$37,650 COP-W 153 \$497,261 Total CSLA . Environmental Contacts 1,150 Env hazards 85+ 280 150 430 10 Total 9,960 10,140 Public health nuisance 110 54 Age Female Male Total . \$0 1 \$36,697 0-17 2,440 2,510 4,950 Brain Inj 18-44 3,600 3,960 7,570 Total COP/Wvrs 236 45-64 2,190 2,360 4,530 65+ 1,740 1,310 3,050 \$11,637 of the above Waiver costs Health Education Total 20,100 Community sessions Community sessions
Community attendance 9,960 10,140 were paid as local match/overmatch 13 6 using COP funds. This amount is 428 212 not included in above COP costs. School sessions (Poverty estimates for 1995 are included in the 1997 profiles. School attendance 417 207 Poverty statistics will be updated \* Waiver costs reported here after the 2000 Census.) include federal funding. Staffing - FTEs Total staff
Administrators 5 2.4 1 0.5 ----- EMPLOYMENT -----1 0.5 1 0.3 Public health nurses Average wage for jobs covered Home Health Agencies by Unemployment Compensation \$23,107 Public health aides Patients Note: Average wage is based on place Patients per 10,000 pop. Environmental specialists . . of work, not place of residence. Nursing Homes Labor Force Estimates Annual Average Licensed beds 154 LOCAL PUBLIC HEALTH FUNDING Occupancy rate 81.2% Residents on 12/31/98 120 Civilian labor force 10,281 (funding data not available) 9,992 289 Number employed

Residents aged 65 or older

Unemployment rate 2.8% per 1,000 population

TOTAL LIVE BIRTHS		240	Birth Order	Birthe	Percent	Marital Status		
TOTAL LIVE BIRTHS		210	First	106	44	of Mother	Births	Percent
Crude Live Birth Rate	2	11.9	Second	75	31	Married	207	86
General Fertility Rat		58.7	Third	36	15	Not married	33	14
deficial reletitely had		30.7	Fourth or higher			Unknown	0	0
Live births with repo	orted		Unknown	0	0	OIIIIIOWII	J	O
Live births with repo congenital anomalies	or cca	1 %	OII III OWII	Ü	Ü	Education		
congenical anomalies			First Prenatal				Births	Percent
Delivery Type	Births	Percent		Births	Percent	Elementary or less		0
Vaginal after			1st trimester	220	92	Some high school		5
previous cesarean	3	1	2nd trimester		6	High school	69	29
Forceps	4		3rd trimester	4		High school Some college	102	43
Other vaginal			No visits	<del>-</del>		College graduate	57	24
Primary cesarean	23	10	Unknown	2 0	0	Unknown	0	0
Repeat cesarean	6	3	UIKIOWII	U	U	OHAHOWH	U	U
Other or unknown	0	0	Number of Prenata	1		Smoking Status		
ocher or ananown	O	O	Care visits		Percent	of Mother	Births	Percent
Birth Weight	Births	Percent	No visits	2	1	Smoker	31	13
<1,500 qm	0	0.0	1-4 visits	4	2	Nonsmoker	209	87
1,500-2,499 gm	9	3.8	5-9 visits			Unknown	200	0
2,500 2,400 gm	221	96.3	10-12 visits	2/	35	OIIXIOWII	O	U
Unknown	231	96.3 0.0		30 84 120	50			
UIIKIIOWII	U	0.0	Unknown	120	0			
	Total B	3irths	Low Birth Weight (under 2,500 gm)	1st Tr	imester	er of First Prenata 2nd Trimester	Other/	'Unknown
Race of Mother	Births P	ercent	(under 2,500 gm) Births Percent	Births	imester Percent	2nd Trimester	Other/	
	Births P		(under 2,500 gm) Births Percent	1st Tr	imester Percent	er of First Prenata 2nd Trimester Births Percent 14 6	Other/	Percent
White	Births P	Percent 100	(under 2,500 gm)	Births	imester Percent	2nd Trimester Births Percent	Other/ Births	Percent
White Black	Births P	Percent 100 0	(under 2,500 gm) Births Percent	Births	imester Percent	2nd Trimester Births Percent 14 6	Other/ Births	Percent
White Black Other	Births P 239 0	Percent 100 0	(under 2,500 gm) Births Percent	<u>Births</u> 219	imester Percent	2nd Trimester Births Percent  14 6	Other/ Births	Percent
White Black Other	Births P 239 0 1	100 0 <.5	(under 2,500 gm) Births Percent	<u>Births</u> 219	imester Percent	2nd Trimester Births Percent  14 6	Other/ Births	Percent
Race of Mother White Black Other Unknown	239 0 1 0	100 0 <.5	<pre>(under 2,500 gm) Births Percent</pre>	Births 219 *	imester Percent 92	2nd Trimester Births Percent  14 6 *	Other/Births 6 . * . I Visit	Percent 3
White Black Other Unknown	239 0 1 0	Percent 100 0 <.5 0 ertility	(under 2,500 gm)  Births Percent  9 3.8   *  Low Birth Weight (under 2,500 gm)	Births 219	imester Percent 92	2nd Trimester Births Percent  14 6 * er of First Prenata 2nd Trimester	Other/Births 6 . * . 1 Visit Other/	Percent 3
White Black Other Unknown <b>Age of Mother</b>	Births P 239 0 1 0 Fe Births	Percent 100 0 <.5 0 ertility Rate	<pre>(under 2,500 gm) Births Percent</pre>	Births 219	imester Percent 92	2nd Trimester Births Percent  14 6 *	Other/Births 6 . * . 1 Visit Other/	Percent 3
White Black Other Unknown Age of Mother <15	239 0 1 0 Fe Births	Percent 100 0 <.5 0 ertility	(under 2,500 gm)  Births Percent  9 3.8   *  Low Birth Weight (under 2,500 gm)	Births 219	imester Percent  92  Trimest imester Percent .	2nd Trimester Births Percent  14 6 * er of First Prenata 2nd Trimester Births Percent	Other/Births 6 . * ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! !	Percent 3
White Black Other Unknown Age of Mother <15 15-17	239 0 1 0 Fe Births	Percent 100 0 <.5 0 ertility Rate	(under 2,500 gm)  Births Percent  9 3.8   * .  Low Birth Weight (under 2,500 gm) Births Percent	Births 219	imester Percent  92  Trimestimester Percent  43	2nd Trimester Births Percent  14 6	Other/Births  6 . * .  l Visit Other/Births . 1	Percent 3
White Black Other Unknown  Age of Mother <15 15-17 18-19	Births P 239 0 1 0 Fe Births 7 11	Percent  100 0 <.5 0  ertility Rate	<pre>(under 2,500 gm) Births Percent</pre>	Births 219	imester Percent  92  Trimest imester Percent  . 43 55	2nd Trimester Births Percent  14 6	Other/Births 6 . * ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! !	Percent 3
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24	Births P 239 0 1 0 Fe Births 7 11 49	100	(under 2,500 gm)  Births Percent  9 3.8   * .  Low Birth Weight (under 2,500 gm) Births Percent	### 15t Tr: ### 15	mester Percent  92  Trimest imester Percent  . 43 55 98	2nd Trimester Births Percent  14 6	Other/Births  6 . * .  l Visit Other/Births . 1 2 .	Percent 3 /Unknown Percent . 14 18 .
White Black Other Unknown  Age of Mother <15 15-17 18-19	Births P 239 0 1 0 Fe Births 7 11 49 87	Percent  100 0 <.5 0  ertility Rate	(under 2,500 gm)  Births Percent  9 3.8   *  Low Birth Weight (under 2,500 gm) Births Percent   1 9.1 2 4.1	### 15t Tr: ### 15	imester Percent  92  Trimestimester Percent  . 43 55 98 92	2nd Trimester Births Percent  14 6	Other/Births  6 . * .  l Visit Other/Births . 1 2 . 1	Percent 3 /Unknown Percent
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24	Births P 239 0 1 0 Fe Births 7 11 49 87	100	(under 2,500 gm)  Births Percent  9 3.8   *  Low Birth Weight (under 2,500 gm)  Births Percent   1 9.1 2 4.1 5 8.2	### 151 Property	mester Percent  92  Trimest imester Percent  . 43 55 98 92 98	2nd Trimester Births Percent  14 6	Other/Births  6 . * .  l Visit Other/Births . 1 2 .	Percent   3
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	Births P 239 0 1 0 Fe Births 7 11 49 87	Percent  100 0 <.5 0  ertility Rate	(under 2,500 gm)  Births Percent  9 3.8   *  Low Birth Weight (under 2,500 gm) Births Percent   1 9.1 2 4.1	### 15t Tr: ### 15	imester Percent  92  Trimestimester Percent  . 43 55 98 92	2nd Trimester Births Percent  14 6	Other/Births  6 . * .  l Visit Other/Births . 1 2 . 1	Percent   3
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Births P 239 0 1 0 Fe Births 7 11 49 87 61	Percent  100 0 <.5 0  ertility Rate	(under 2,500 gm)  Births Percent  9 3.8   *  Low Birth Weight (under 2,500 gm)  Births Percent   1 9.1 2 4.1 5 8.2	### 151 Property	mester Percent  92  Trimest imester Percent  . 43 55 98 92 98	2nd Trimester Births Percent  14 6	Other/Births  6 . * .  l Visit Other/Births . 1 2 . 1 1	Percent   3
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births P 239 0 1 0 Fe Births 7 11 49 87 61 23	Percent  100 0 <.5 0  ertility Rate	(under 2,500 gm)  Births Percent  9 3.8   *  Low Birth Weight (under 2,500 gm) Births Percent   1 9.1 2 4.1 5 8.2 1 4.3	### 151 Pinch	mester Percent  92  Trimest imester Percent  . 43 55 98 92 98	2nd Trimester Births Percent  14 6	Other/Births  6 . * .  l Visit Other/Births . 1 2 . 1 1	Percent   3
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births P 239 0 1 0 Fe Births 7 11 49 87 61 23 2	Percent  100 0 <.5 0  ertility Rate	(under 2,500 gm)  Births Percent  9 3.8   *  Low Birth Weight (under 2,500 gm) Births Percent   1 9.1 2 4.1 5 8.2 1 4.3	### 19	imester Percent  92  Trimest imester Percent  . 43 55 98 92 98 96	2nd Trimester Births Percent  14 6	Other/Births  6 . * . l Visit Other/Births . 1 2 . 1 1 1 1 * .	Percent   3

Pedestrian 2

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED\* CASES OF SELECTED DISEASES fetal deaths. Rates are not calculated for fewer than 20 deaths. Disease Number TOTAL DEATHS 196 Selected 975 Underlying Cause Deaths Rate Campylobacter Enteritis Crude Death Rate Heart Disease (total) Giardiasis 289 Ω Hepatitis Type A
Hepatitis Type B\*\*
Hepatitis NANB/C\*\*\* Ischemic heart disease . Hepatitis Type A 0 Age Deaths Rate Cancer (total) 259 Trachea/Bronchus/Lung 1-4 . . Legionnaire's Colorectal Female Breast 0 5-14 15-19 0 | Lyme 3 

 15-19
 3
 .

 20-34
 1
 .

 35-54
 12
 .

 55-64
 14
 .

 65-74
 39
 2,655

 75-84
 55
 4,775

 85+
 72
 16,770

 Cerebrovascular Disease 17 Measles
Meningitis, Aseptic

Meningitis, Bacterial

0 Measles 0 | Lower Resp. Disease . Pneumonia & Influenza 6 0 Mumps Mumps Pertussis Injuries Motor vehicle Diabetes 0 | 3 12 Salmonellosis <5 Shigellosis Infectious & Parasitic . <5 Tuberculosis Suicide Infant Mortality Deaths Rate \* 1999 provisional data \* Rate for female breast cancer based \*\* Includes all positive HBsAg Total Infant . . . on female population. test results Neonatal Neonatar Postneonatal \*\*\* Unavailable at time of printing ALCOHOL AND DRUG ABUSE AS UNDERLYING Unknown OR CONTRIBUTING CAUSE OF DEATH Sexually Transmitted Disease Alcohol 1
Other Drugs 2
Both Mentioned . Chlamydia Trachomatis 15
Genital Herpes 5 Race of Mother White Black Other Unknown Gonorrhea Nongonococcal Cervicitis <5 Nongonococcal Urethritis 0 ----- MOTOR VEHICLE CRASHES -----Syphilis Birth Weight Note: These data are based on location <1,500 gm .
1,500-2,499 gm .
2,500+ gm .
Unknown . ----- IMMUNIZATIONS ----of crash, not on residence. Children in Grades K-12 by Type of Motor Persons Persons
Vehicle Crash Injured Killed Compliance Level Compliant 4,420
Non-compliant 124
Percent Compliant 97.3 Total Crashes 169
Alcohol-Related 15 Perinatal With Citation: For OWI 21 0
For Speeding 10 0
Motorcyclist 11 0
Bicyclist 2 0 Mortality Deaths Rate Total Perinatal . Neonatal . Fetal .

Per Average Charge Per Average Charge 1,000 Stay Average Per 1,000 DISEASE / DISEASE / Stav Average Per AGE GROUP Number Pop (Days) Charge Capita Number Pop (Days) Charge Capita AGE GROUP Injury-Related: All Alcohol-Related Total 177 8.8 22 4.6 \$10,416 \$92 Total 1.1 3.4 \$2,740 \$3 26 5.3 5.4 \$14,344 45 5.9 5.0 \$14,132 <18 \$75 18-44 8. 9 18-44 \$84 45-64 26 5.7 3.5 \$6,922 Pneumonia and Influenza 45-64 \$40 80 26.2 4.5 \$8,184 65+ \$215 Total 57 2.8 4.5 \$7,716 \$22 6 . . . Injury: Hip Fracture <18 Total 21 1.0 4.7 \$11,270 34 11.1 5 \$12 45-64 65+ 20 6.6 4.9 \$11,468 \$75 65+ 4.9 \$0 Injury: Poisonings Cerebrovascular Disease 73 3.6 4.6 \$7,903 Total 11 Total \$29 18-44 2 45-64 8 . 64 21.0 4.8 \$8,202 65+ \$172 Psychiatric Chronic Obstructive Pulmonary Disease Total 24 1.2 3.2 \$3,805 Total 86 4.3 10.6 \$7,530 \$32 <18 <18 6 19 18-44 18-44 40 5.3 8.3 \$5.695 4 \$30 45-64 45-64 11 . 65+ 16 . 11 . 2. 12 65+ Drug-Related Coronary Heart Disease Total 5 Total 99 4.9 3.9 \$15,617 \$77 18-44 1 

 45-64
 32
 7.1
 3.4
 \$18,261

 65+
 65
 21.3
 4.2
 \$14,296

 \$129 \$305 Total Hospitalizations Total 2,085 103.7 4.1 \$7,317 \$759 388 78.4 3.3 \$3,792 Malignant Neoplasms (Cancers): All <18 \$297 18-44 45-64 Total 121 6.0 5.3 \$10,960 510 67.4 3.4 \$5,740 \$387 

 18-44
 10
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .</t 338 74.6 4.0 \$9,328 \$696 849 278.4 5.0 \$9,075 \$2,526 \$86 65+ \$263 Neoplasms: Female Breast (rates for female population) ----- PREVENTABLE HOSPITALIZATIONS\* ------Total 218 10.8 4.4 \$6,391
<18 25 5.1 2.6 \$3,360
18-44 18 2.4 4.1 \$6,848
45-64 26 5.7 4.1 \$6,142
65+ 149 48.9 4.8 \$6,888 \$ Total 14 . . . . Neoplasms: Colo-rectal \$17 Total 16 \$16 8 \$35 65+ Neoplasms: Lung \$336 \* Hospitalizations for conditions where timely and effective Total ambulatory care can reduce the likelihood of hospitalization. Diabetes The definition of preventable hospitalizations in 1999 31 1.5 4.8 \$8,330 Total \$13 is consistent with the 1997 definition. 21 6.9 5.0 \$8,772 65+ \$60 Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.